



ÜÇ BEYLER A.Ş.

aquaflex ...



aquaflex...



CBTD-620

COARSE BUBBLE

TUBE DIFFUSER

TECHNICAL DATA SHEET

Üçevler Mah. 27.Sokak 18.Blok No : 36/1 Nilüfer / BURSA

Δ Tel : +90 224 441 12 08 - 09 Δ Fax: +90 224 441 10 15

e-mail: ucbeyler@aquaflex.com.tr

web : www.aquaflex.com.tr



ÜÇ BEYLER A.Ş.

aquaflex ...



Great solution for aeration or mixing application, **aquaflex** Course Bubble Tube Diffusers are carefully designed to successfully bare even most demanding tasks. Their performance is on a highest level even in tanks that are often left emptied and exposed for a longer period of time, tanks that cannot be emptied for maintenance or tanks with aggressive waste water structure that can cause fast fouling or clogging of casual membrane diffusers.




Type	Total Height (mm)	Width/Length Total (mm)	Perforated Area (m ³)	Capacity (m ³ /h)	Material of Membrane	Total Weight (kg)	Outlet
CBTD-620	100	50/620	0,1	2-60	AISI304 or AISI316	5,5	¾" or 1" male

Üçevler Mah. 27.Sokak 18.Blok No : 36/1 Nilüfer / BURSA

Δ Tel : +90 224 441 12 08 - 09 Δ Fax: +90 224 441 10 15

e-mail: ucbeyler@aquaflex.com.tr

web : www.aquaflex.com.tr



Qualities Of aquaflex Coarse Bubble Tube Diffuser

- Full body is made from quality AISI304 or AISI316 stainless steel.
- Cast stainless steel inlet. Walls and inlet are welded together with strong TIG (Tungsten Inert Gas) welding process.
- Bottom of **aquaflex** Coarse Bubble Tube Diffusers is closed with two rectangular walls - deflectors.